

METALWORKS BAFFLES



BENEFITS

- Attractive linear, ceiling system that screens the open plenum
- Flexible design enables “perimeter to core” or fully “discontinuous” solutions
- Fast and easy installation
- Heavy duty U-Profile suspension channel primary rail for integration of services
- Four standard colours including two “timberlook” finishes
- Two Baffle widths with flexible modules
- Baffles produced from durable extruded aluminium

APPLICATION AREAS

- Open plan spaces
- Foyers / lobbies
- Reception areas
- Airports / Transport terminals
- Waiting areas
- Meeting rooms
- Restaurants



COLOR SELECTION

Solid Color



White
9010



Black
9005

OPTIONALCOLOR

Wood Finish



Cherry






Red Oak




RAL Colors Available
on request

*Due to printing limitations, shades color may vary from actual product.

SIZE DETAILS


METALWORKS BAFFLES	
	
	<p>Baffle</p> <p>25x100x3600mm ✓</p> <p>25x150x3600mm ✓</p> <p>50x100x3600mm ✓</p> <p>50x150x3600mm ✓</p>

INSTALLATION DETAIL & ASSEMBLY DETAIL



ACCESSORIES

Item	Description	Dimension (mm)		
		Width	Height	Length
BAFE102536#	Al Baffle	25	100	3600
INDJOINML	Baffle Joiner	25	-	90
INDCAP25100BL	Baffle End Cap (metal)	25	100	-
Suspension System				
IND300100B	U-Profile Channel (Black)	20	30	3750
IND300119	U-Profile Connector	17	23	95
INDMBH25BL	Baffle Hanger for 25mm width	-	48	-
BPM300120	Locking Clip	-	-	-
IND300121	Clamping bracket	-	-	-



Detail "A"

* For baffle of size 50 x 100mm, please contact Sales Representative

* Custom size of 25 x 150mm & 50 x 150mm available with MOQ of 500sqm.

Use Suffix Red Oak & Cherry

PHYSICAL DATA

Material

Baffles are produced from extruded aluminium

End caps are produced from plastic or metal

Suspension System: Galvanised mild steel

Surface Finish

Factory applied polyester powder coat

End caps are finished in Black, with special colours upon application

Suspension System: Black

Flame Spread/Fire Resistance

Conforms to BCA Spec. C1.10 and tested to AS/NZS 3837: 1998 – "Group 1"

AS/NZS 1530.3

Weight

Weight (including U-Profile Channel at 1200mm centres)

100mm Baffles @100mm centres:

10.20 kgs/m²

Warranty

10-year limited warranty

Recommended Suspension System

U-Profile Channel to be suspended on 5mm Rod and Suspension Clips at 1200x1200mm centres. Baffles Installed at minimum 50mm centres.

CONTACT US

Knauf Ceiling Solutions (India) Private Limited

Boomerang, A-304, Chandivali Farm Road (near Chandivali Studio) Andheri (E), Mumbai - 400 072.

Contact us: 1860 266 7080 | e-mail : Helpdeskindia@knaufarmstrong.com

